INDEX FOR VOLUME 19

Adams, Lowell. A punch-card bibliographic file for vertebrate ecologists, 472
Aerial census of moose in summer, 382
Age determination
  channel catfish, 243
  gray squirrel, 479
  mourning dove, 412
  muskrat, 463
  sage grouse, 267
Alaska, food habits of marten in, 364
Alberta, effects of hail storms on waterfowl in, 368
Albinism in the wild turkey, 408
Aldous, Clair M. A tool for beaver dam removal, 153
Aldrich, John W. and John H. Steenis. Neck-banding and other color-marking of waterfowl; its merits and shortcomings, 317
Atkeson, Thomas Z., see Givens, Lawrence S., 494

Bailey, R. Wayne. Notes on albinism in the eastern wild turkey, 408
  Two records of turkey brood survival after the death of the hen, 408
Bailey, William J., see Liscinsky, Stephen A., 405
Banding
  in waterfowl studies, 75
  recoveries from reward bands, 71
Bass, striped, in southeastern United States, 444
Bear, black, damage to redwood reproduction by, 437
Beaver
  movements of tagged, 492
  removal of dams of, 153
Beck, Doris O., see Beck, John R., 198
Beck, John R. and Doris O. A method of nutritional evaluation of wildlife foods, 198
Beckwith, Stephen L., see Michael, Victor C., 281
Beer, James. Movements of tagged beaver, 492
Bell, J. Frederick, George W. Sciple and A. A. Hubert. A microenvironment concept of the epizoology of avian botulism, 352
  see Philip, Cornelius B., 225
Bellrose, Frank C. A comparison of recoveries from reward and standard bands, 71
Benson, Dirck. Book review, 398
Bergeson, William R. Obituary, 485
Bibliographic file for vertebrate ecologists, 472
Big game, winter browse utilization by, 206, 215
Bobcat, food of, 249
Bobwhite, food of, 281
Bolin, F. M., see Eveleth, D. F., 152
Botulism, avian, 352
Bowman, Robert I. Aerial reconnaissance of moose in summer, 382
Brant, black, migration of, 321
Brohn, Allen, see Sampson, Frank W., 272
Brooks, Maurice. An isolated population of the Virginia varying hare, 54
Browse
  nutritive value of, 65
  winter utilization in wilderness range, 206, 215
Buckley, John L., see Lensink, Calvin J., 364

Cade, Tom J. Records of the black brant in the Yukon basin and the question of a spring migration route, 321
Calcium in pheasant nutrition, 325
California, reproduction of brush rabbit in, 177
Canada, wildlife conservation in, 161
Catfish, channel, age determination, 243
Cedeno, R., see McClure, H. Elliott, 477
Census
  cottontail rabbit, 466
  fox squirrel, 89
  moose, 382
  pheasant, 254, 495
Chance, Charles J. Unusually high returns from fish-tagging experiments on two TVA reservoirs, 500
Chatelain, Edward F. Obituary, 310
Conservation
  future of research, 1
  of wildlife in Canada, 161
Control, extension predator, 272
  waterchestnut, 504
Cooch, Graham. Modifications in mass goose trapping technique, 315
Coot, nesting of, in Manitoba, 189
Cottam, Clarence. Book review, 490
Cottontail
  introduction and distribution in Oregon, 184
  restocking in Pennsylvania, 61
Coulter, Malcolm W. Spring food habits of surface-feeding ducks in Maine, 263
Cowan, Ian McT. An instance of scabies in the marten, 499
  Wildlife conservation in Canada, 161
  and A. J. Wood. The normal temperature of the Columbian black-tailed deer, 154
Crane, Harold S., see Robinette, W. Leslie, 115
Crissey, Walter F. The use of banding data in determining waterfowl migration and distribution, 75

Dale, Fred H. The role of calcium in reproduction of the ring-necked pheasant, 325
Dalke, Paul D., see Hoskins, Leonard W., 215
Dams, removal of beaver, 153
Davis, W. B. Book review, 149

INDEX FOR VOLUME 19

Adams, Lowell. A punch-card bibliographic file for vertebrate ecologists, 472
Aerial census of moose in summer, 382
Age determination
  channel catfish, 243
  gray squirrel, 479
  mourning dove, 412
  muskrat, 463
  sage grouse, 267
Alaska, food habits of marten in, 364
Alberta, effects of hail storms on waterfowl in, 368
Albinism in the wild turkey, 408
Aldous, Clair M. A tool for beaver dam removal, 153
Aldrich, John W. and John H. Steenis. Neck-banding and other color-marking of waterfowl; its merits and shortcomings, 317
Atkeson, Thomas Z., see Givens, Lawrence S., 494

Bailey, R. Wayne. Notes on albinism in the eastern wild turkey, 408
  Two records of turkey brood survival after the death of the hen, 408
Bailey, William J., see Liscinsky, Stephen A., 405
Banding
  in waterfowl studies, 75
  recoveries from reward bands, 71
Bass, striped, in southeastern United States, 444
Bear, black, damage to redwood reproduction by, 437
Beaver
  movements of tagged, 492
  removal of dams of, 153
Beck, Doris O., see Beck, John R., 198
Beck, John R. and Doris O. A method of nutritional evaluation of wildlife foods, 198
Beckwith, Stephen L., see Michael, Victor C., 281
Beer, James. Movements of tagged beaver, 492
Bell, J. Frederick, George W. Sciple and A. A. Hubert. A microenvironment concept of the epizoology of avian botulism, 352
  see Philip, Cornelius B., 225
Bellrose, Frank C. A comparison of recoveries from reward and standard bands, 71
Benson, Dirck. Book review, 398
Bergeson, William R. Obituary, 485
Bibliographic file for vertebrate ecologists, 472
Big game, winter browse utilization by, 206, 215
Bobcat, food of, 249
Bobwhite, food of, 281
Bolin, F. M., see Eveleth, D. F., 152
Botulism, avian, 352
Bowman, Robert I. Aerial reconnaissance of moose in summer, 382
Brant, black, migration of, 321
Brohn, Allen, see Sampson, Frank W., 272
Brooks, Maurice. An isolated population of the Virginia varying hare, 54
Browse
  nutritive value of, 65
  winter utilization in wilderness range, 206, 215
Buckley, John L., see Lensink, Calvin J., 364

Cade, Tom J. Records of the black brant in the Yukon basin and the question of a spring migration route, 321
Calcium in pheasant nutrition, 325
California, reproduction of brush rabbit in, 177
Canada, wildlife conservation in, 161
Catfish, channel, age determination, 243
Cedeno, R., see McClure, H. Elliott, 477
Census
  cottontail rabbit, 466
  fox squirrel, 89
  moose, 382
  pheasant, 254, 495
Chance, Charles J. Unusually high returns from fish-tagging experiments on two TVA reservoirs, 500
Chatelain, Edward F. Obituary, 310
Conservation
  future of research, 1
  of wildlife in Canada, 161
Control, extension predator, 272
  waterchestnut, 504
Cooch, Graham. Modifications in mass goose trapping technique, 315
Coot, nesting of, in Manitoba, 189
Cottam, Clarence. Book review, 490
Cottontail
  introduction and distribution in Oregon, 184
  restocking in Pennsylvania, 61
Coulter, Malcolm W. Spring food habits of surface-feeding ducks in Maine, 263
Cowan, Ian McT. An instance of scabies in the marten, 499
  Wildlife conservation in Canada, 161
  and A. J. Wood. The normal temperature of the Columbian black-tailed deer, 154
Crane, Harold S., see Robinette, W. Leslie, 115
Crissey, Walter F. The use of banding data in determining waterfowl migration and distribution, 75

Dale, Fred H. The role of calcium in reproduction of the ring-necked pheasant, 325
Dalke, Paul D., see Hoskins, Leonard W., 215
Dams, removal of beaver, 153
Davis, W. B. Book review, 149

Davison, Verne E., L. M. Dickerson, Karl Graetz, W. W. Neely and Lloyd Roof. Measuring the yield and availability of game bird foods, 302
Deer
  black-tailed, temperature of, 154
    growth rate of, 331
  mule, fertility in Utah, 115
    high reproductive rate in, 503
  white-tailed, controlled hunts of, 346
    handling crate for, 501
    management, 143
    range appraisal in Ozarks, 358
Derby, James V., see DeWitt, James B., 65
deVos, Antoon. Book review, 315
DeWitt, James B. and James V. Derby, Jr. Changes in nutritive value of browse plants following forest fires, 65
Dickerson, L. M., see Davison, Verne E., 302
Disease
  aspergillosus in mallards, 415
  avian botulism, 352
  blow flies in raccoon, 499
  of emergent aquatic vegetation, 24
  parasites in jack rabbits, 225
  parasitic gastritis in elk, 152
  scabies in marten, 499
  skin tumors in gray squirrel, 402
  taking blood samples from living birds, 477
Distribution of cottontail in Oregon, 184
Dove, mourning
  age determination in, 412
  in North Dakota, 157
Ducks
  food habits in Maine, 263
  mallard, aspergillosus in, 415
  production, 36
Dunkeson, Robert L. Deer range appraisal for the Missouri Ozarks, 358
Dustman, Eugene H., see Stewart, Paul A., 403

Elk, Parasitic gastritis in, 152
Eng, Robert L. A method for obtaining sage grouse age and sex ratios from wings, 267
Erickson, A. B., see Krefting, L. W., 346
Eschmeyer, Reuben W. Obituary, 483
Eveleth, D. F. and F. M. Bolin. Parasitic gastritis of elk, 152

Fertility of mule deer in Utah, 115
File, bibliographic, punch-card, 472
Fire, effect of, on browse, 65
Fish loss in irrigation canals, 375
Fitch, Frank W. Jr., see Haugen, Arnold O., 297
Food availability, determination of, 297, 302
Food habits
  bobcat, 249
  ducks, in spring, 263
  marten in Alaska, 364
  quail, 281
  red fox, 496
  Rocky Mountain goat, 429
Foods, nutritional evaluation of wildlife, 198
Fox, red, food habits, 496
Freese, John W. Obituary, 149
Friley, Charles E. Criteria for estimating fall fox squirrel populations, 89

Gashwiler, Jay S., see Robinette, W. Leslie, 115
Geis, Aelred. Trap response of the cottontail rabbit and its effect on censusing, 466
Givens, Lawrence S. and Thomas Z. Atkeson. The use of agricultural cover crops in southeastern waterfowl management, 494
Glazener, W. Caleb. Book reviews, 399, 489
Glover, Fred A. Black bear damage to redwood reproduction, 437
Goat, Rocky Mountain, in Montana, 417, 429
Goose
  marking, 316
  trapping, 315
Graetz, Karl, see Davison, Verne E., 302
Graf, William. Cottontail rabbit introductions and distribution in Oregon, 184
Grouse
  prairie chicken abundance, 233
  ruffed, trapping, 405
  sage, age determination in, 267
Growth
  rate of, in channel catfish, 243
  rate of, in black-tailed deer, 331
Gunvalson, V. E., see Krefting, L. W., 346

Haller, Frank D. Obituary, 311
Hamilton, Lawrence S. Book review, 401
Hamilton, W. J. Jr. Book review, 399
Hare, varying, in Virginia, 54
Harris, Dave. Obituary, 397
Hartley, H. O., P. G. Homeyer and E. L. Kozicky. The use of log transformations in analyzing fall roadside pheasant counts, 495
Helm, Lewis G. Plastic collars for marking geese, 316
Hendrickson, George O., see Kozicky, Edward L., 136
Herman, Carlton M. and James R. Reilly. Skin tumors on squirrels, 402
  see Killam, Lawrence, 499
Hewitt, Oliver H. Book review, 399
    Editor's note, 443
Homeyer, Paul G., see Kozicky, E. L., 136
  see Hartley, H. O., 495

Hosford, Hallock Jay. Obituary, 484
Hoskins, Leonard W. and Paul D. Dalke. Winter browse on the Pocatello big game range in southeastern Idaho, 215
Hubert, A. A., see Bell, J. Frederick, 352

Idaho, browse in big game range, 215
Impoundment, effect of, on water temperatures, 47
Introduction
of cottontail in Oregon, 184
of European rabbit in United States, 8
Iowa, pheasant populations in, 136, 254

Jensen, Wallace and W. Leslie Robinette. A high reproductive rate for Rocky Mountain mule deer, 503
Jones, Dale A., see Robinette, W. Leslie, 115

Kalmbach, E. R. Book review, 486
Kiel, William H. Jr. Nesting studies of the coot in southwestern Manitoba, 189
Killam, Lawrence and Carlton M. Herman. Severe infestation of blow flies in a raccoon, 499
Klonglan, Eugene D. Factors influencing the fall roadside pheasant census in Iowa, 254
Kozicky, Edward L., George O. Hendrickson and Paul G. Homeyer. Weather and fall pheasant populations in Iowa, 136
see Hartley, H. O., 495
Krefting, L. W., A. B. Erickson and V. E. Gunvalson. Results of controlled deer hunts on the Tamarac National Wildlife Refuge, 346

Larson, Carl L., see Philip, Cornelius B., 225
Lensink, Calvin J., Ronald O. Skoog and John L. Buckley. Food habits of marten in interior Alaska and their significance, 364
Lentfer, Jack W. A two-year study of the Rocky Mountain goat in the Crazy Mountains, Montana, 417
Leonard, Justin W. The future of conservation research, 1
Lespedeza
bicolor as rabbit food, 324
bicolor, culture of, 84
seed, availability of, 297
Lewis, Harrison F. Book review, 313
Liscinsky, Stephen A. and William J. Bailey, Jr. A modified shorebird trap for capturing woodcock and grouse, 405
see Richter, Wilmer C., 501
Loss of game fish in irrigation canals, 375

Maine, spring foods of ducks in, 263
trout populations and fishery in, 336
Manitoba, nesting of coot in, 189
Map grids for field notes, 156
Marking
animals for night identification, 159
pheasants with neck tags, 414
waterfowl, 316, 317, 319
Marten
food habits in Alaska, 364
scabies in, 499
Martin, Alexander C. Another waterchestnut infestation, 504
Martin, Frank R. Red fox food habits in the vicinity of a vulnerable captive goose flock, 496
Marzolf, Richard C. Use of pectoral spines and vertebrae for determining age and rate of growth of the channel catfish, 243
Obituary, 485
Mayhew, Wilbur W. Spring rainfall in relation to mallard production in the Sacramento Valley, California, 36
McCabe, Robert A. Some data on Wisconsin pheasants obtained by interviewing farmers, 150
McClure, H. Elliott and R. Cedeno. Techniques for taking blood samples from living birds, 477
McCulloch, Clay Y. Jr. Utilization of winter browse on wilderness big game range, 206
McDonald, Malcolm E. Cause and effects of a die-off of emergent vegetation, 24
McDowell, Robert D. Restocking with "native" cottontails, 61
Michael, Victor C. and Stephen L. Beckwith. Quail preference for seed of farm crops, 281
Michigan
age determination of muskrats in, 463
predation on fish by otter in, 497
Mikula, Edward J. An efficient handling crate for whitetail deer, 501
Missouri
deer range appraisal, 358
extension predator control program, 272
Montana, Rocky Mountain goat in, 417, 429
Moose, aerial census in summer, 382
Mossman, Archie S. Reproduction of the brush rabbit in California, 177
Murie, Adolph. Book review, 147

Neely, W. W., see Davison, V. E., 302
Neff, Johnson A. Outbreak of aspergillosus in mallards, 415
Nelson, Lee K. A pheasant neck tag, 414
Nemes, John L. Obituary, 484
Nesting of coot in Manitoba, 189
Nevada, diseases and parasites of jack rabbits in, 225
North Dakota, mourning dove population in, 157
Nutritional evaluation
of wildlife foods, 198
effect of fire on browse, 65
calcium in pheasant reproduction, 325

Obituaries
Bergeson, William R., 485
Chatelain, Edward F., 310
Eschmeyer, Reuben W., 483
Freese, John W., 149
Haller, Frank D., 311
Harris, Dave, 397
Hosford, Hallock Jay, 484
Marzolf, Richard C., 485
Nemes, John L., 484
Shuman, Richard F., 309
Oklahoma, productivity of farm ponds in, 450
Oregon, cottontail rabbit in, 184
Otter, predation on fish in Michigan, 497

Parasites
and diseases in jack rabbits, 225
and gastritis of elk, 152
Partridge, Hungarian in Utah, 93
Partridge pea seed, availability, 297
Pasto, Jerome K., see Thomas, D. Woods, 143
Pheasant
calcium in reproduction of, 325
census in Iowa, 254, 495
flushing incubating, 403
in Wisconsin, 150
marking with neck tag, 414
weather and fall populations in Iowa, 136
Philip, Cornelius B., J. Frederick Bell and Carl L. Larson. Evidence of infectious diseases and parasites in a peak population of black-tailed jack rabbits in Nevada, 225
Pigeons, band-tailed, trapping, 411
Ponds, productivity of Oklahoma farm, 450
Populations
brook trout in Maine, 336
diseases and parasites in peak jack rabbit, 225
isolated varying hare, 54
pheasants in Iowa, 136
prairie chicken, 233
Porter, Richard D. The Hungarian partridge in Utah, 93
Prairie chicken abundance, 233
Predation on fish by otter in Michigan, 497
Predator control in Missouri, 272
Progulske, Donald R. Game animals utilized as food by the bobcat in the southern Appalachians, 249
Punch-card bibliographic file, 472

Quail, food habits, 281

Rabbit
brush, reproduction in California, 177
cottontail, introduction and distribution in Oregon, 184
cottontail, restocking, 61
cottontail, trap response and census, 416
cottontail, use of bicolor lespedeza, 324
European, dangers of introduction, 8
jack, diseases and parasites in, 225
snowshoe, population in Virginia, 54
Raccoon
infestation of blow flies in, 499
reproduction in Texas, 409
Radiation, solar, and prairie chicken abundance, 233
Rainfall
and prairie chicken abundance, 233
and mallard production, 36
Randall, Robert N. Mourning dove production in south central North Dakota, 157
Raney, Edward C. and William S. Woolcott. Races of the striped bass in southeastern United States, 444
Range
deer appraisal, 358
Rocky Mountain goat in Montana, 429
utilization of wilderness, by big game, 206, 215
Redwood, damage to, by black bear, 437
Reid, George K. Jr. Book review, 398
Reilly, James R., see Herman, Carlton M., 402
Reproduction
brush rabbit, 177
calcium in pheasant, 325
raccoons in Texas, 409
Research, future of conservation, 1
Reviews, 147, 312, 398, 486
Richter, Wilmer C. A technique for night identification of animals, 159
and Stephen A. Liscinsky. Technique for identification of woodcock at night, 501
Ricker, William E. Book reviews, 487
Robinette, W. Leslie, Jay S. Gashwiler, Dale A. Jones and Harold S. Crane. Fertility of mule deer in Utah, 115
see Jensen, Wallace, 503
Roof, Lloyd, see Davison, V. E., 302
Rosene, Walter Jr. Bicolor as a rabbit food, 324
Recommendations for culture of *Lespedeza bicolor*, 84
Rupp, Robert S. Studies of the eastern brook trout population and fishery in Sunkhaze Stream, Maine, 336
Ryder, Richard A. Fish predation by the otter in Michigan, 497

Sampson, Frank W. and Allen Brohn. Missouri's program of extension predator control, 272
Saunders, Jack K. Jr. Food habits and range use of the Rocky Mountain goat in the Crazy Mountains, Montana, 429

Schofield, Raymond D. Analysis of muskrat age determination methods and their application in Michigan, 463
Sciple, George W., see Bell, J. F., 352
Sex determination in sage grouse, 267
Sheldon, William G. Methods of trapping woodcocks on their breeding grounds, 109
Shelford, V. E. and R. E. Yeatter. Some suggested relations of prairie chicken abundance to physical factors, especially rainfall and solar radiation, 233
Shetter, David S. and Marvin J. Whalls. Effect of impoundment on water temperatures of Fuller Creek, Montmorency County, Michigan, 47
Shuman, Richard F. Obituary, 309
Sibley, C. G. Book review, 400
Skoog, Ronald O., see Lensink, C. J., 364
Smith, Allen G. and Harry R. Webster. Effects of hail storms on waterfowl populations in Alberta, Canada—1953, 368
Solar radiation and prairie chicken abundance, 233
Spindler, John C. Loss of game fish in relation to physical characteristics of irrigation-canal intakes, 375
Squirrel
  fox, census, 89
  gray, age determination of, 479
  gray, skin tumors on, 402
Steenis, John H., see Aldrich, John W., 317
Stewart, Paul A. and Eugene H. Dustman. The use of auditory stimuli for flushing ring-necked pheasants, 403
Swenk, Wendell G. Feather molt as an ageing technique for mourning doves, 412
Swanson, Gustav A. Book review, 312

Tagging, returns on TVA reservoirs, 500
Tanner, James T. Map grids for field notes, 156
Texas, reproduction of raccoon in, 409
Thomas, D. Woods and Jerome K. Pasto. A theoretical framework for understanding the deer management problem, 143
Thompson, Harry V. The wild European rabbit and possible dangers of its introduction into the U.S.A., 8
Trapping
  band-tailed pigeons, 411
  blue and snow geese, 315
  cottontails, 466
  ruffed grouse, 405
  woodcock, 109, 405
Trout, brook, in Maine, 336
Turkey, wild
  albinism in, 408
  brood survival in, 408

Uhlig, Hans G. The determination of age of nestling and sub-adult gray squirrels in West Virginia, 479
Utah
  Hungarian partridge in, 93
  mule deer in, 115

Virginia, varying hare in, 54

Wallen, I. E. Some limnological considerations in the productivity of Oklahoma farm ponds, 450
Waterchestnut control, 504
Waterfowl
  banding, 71, 75
  management in southeast, 494
  marking, 316, 317, 319
  production, effects of fluctuating water levels on, 13
  production, effects of hail storms on, 368
Water temperatures, effect of impoundment on, 47
Weather and fall pheasant populations in Iowa, 136
Webster, Harry R., see Smith, Allen G., 368
West Virginia, gray squirrels in, 479
Whalls, Marvin J., see Shetter, David S., 47
Wilderness big game range utilization, 206
Wildlife Society, The
  Nominations for offices, 505
  Reports of officers and committees, 387
Winston, Frank A. Color marking of waterfowl, 319
Wisconsin, data on pheasants in, 150
Wolf, Ken. Some effects of fluctuating and falling water levels on waterfowl production, 13
Wood, A. J., see Cowan, I. M., 154, 331
Wood, John E. Notes on reproduction and rate of increase of raccoons in the Post Oak region of Texas, 409
Woodcock
  identification at night, 501
  trapping, 109, 405
Woolcott, William S., see Raney, E. C., 444
Wooten, William A. A trapping technique for band-tailed pigeons, 411

Yeatter, R. E., see Shelford, V. E., 233
Yukon, black brant in, 321

stling
, 479

ons in
450

levels

on, 47
a, 136

wl, 319

falling

rate of
gion of

que for